The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-24922

Stream : Campbell Creek

Applicant : John E Zufall

Terri Westmoreland 313 East Collins

Columbia City, IN 46725-2715

Description : The applicant proposes to dig a 250' to 300' pond in the floodway. The pond will

be excavated to a maximum depth of 10' with sideslopes of 5:1 and 4:1. The excavated material (approximately 300 cubic yards) will be used to elevate a proposed residential structure located landward of the floodway. A small portion

of the fill appears to be located in the floodway. Details of the project are

contained in information and plans received at the Division of Water on July 11,

2008 and August 4, 2008.

Location : Beginning approximately 1900' west of the State Road 26 and 680 West Road

intersection and extending approximately 400' west and 500' north

near Rossville, Ross Township, Clinton County

SW1/4, Section 22, T 23N, R 2W, Pyrmont Quadrangle

Quad Code: 4008646

UTM Coordinates: Downstream 4474230 North, 530909 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 1 08/05/2008 12:24 PM

Application # : FW-24924

Stream : Bald Knob Creek

Applicant : City of New Albany

Ronald Carroll

City-County Building, Room 316

New Albany, IN 47150

Description : Proposed installation of a new 2,600' long gravity sanitary sewer system will

replace an existing gravity sanitary sewer system. The new sewer system will range from 12" to 15" PVC or Ductile Iron pipe. The sewer will run adjacent to and lie within the floodway of Bald Knob Creek primarily on the same alignment as the existing sanitary sewer. The sewer will cross the creek in two locations. Each crossing will be made nearly perpendicular to the stream. After installation of the new gravity sewer the site will be returned to its pre-construction state and original contours. Details of the project are contained in information and plans

received at the Division of Water on July 14, 2008.

Location : Beginning at the Grant Line Road stream crossing and extending approximately

6,700' along the stream

DOWNSTREAM: near New Albany, New Albany Township, Floyd County

Clark Military Grant #85, New Albany, IN-KY Quadrangle

Quad Code: 3808537

UTM Coordinates: Downstream 4245273 North, 605130 East

UPSTREAM: NE14, SE14, NE14, Section 11, T 2S, R 6E

UTM Coordinates: Upstream 4246120 North, 603543 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24937

Stream : Sugar Creek

Applicant : Indiana American Water

David J. Elmer, PE

555 East County Line Road, Suite 201

Greenwood, IN 46143-1048

Description : A storm water outfall structure will be constructed along the west (right) bank of

Sugar Creek to discharge supernatant from a water treatment facility located landward of the floodway. Two (2) 12" outfall pipes will be buried to a depth of 4'

in the floodplain. The 2 pipes, each approximately 1000' long, will carry supernatant from the filter backwash lagoons to the creek. The pipe will

terminate with a concrete end section that will conform to the bank slope. A flap gate will be placed at the end of each pipe to prevent backflow into the water treatment facility. An energy dissipater will be constructed at the base of the end section. The dissipater will consist of five (5) 8" by 16" by 8" concrete blocks. Also, riprap will be placed in a 12" thick by 12' wide by 45' long area between the concrete end section and the stream bank. No riprap will be placed below the ordinary high water mark. Details of the project are contained in information and

plans received at the Division of Water on July 30, 2008.

Location : Approximately 6400' upstream of the County Road 400 North stream crossing

near Boggstown, Sugar Creek Township, Shelby County E½, Section 1, T 13N, R 5E, Boggstown Quadrangle

Quad Code: 3908558

UTM Coordinates: Downstream 4383633 North, 592109 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24938

Stream : Tippecanoe River

Applicant : Joseph C Grzych

4827 Elm Street

Downers Grove, IL 60515-3728

Description : An existing 42' by 14' residence will be replaced with a 42' by 26' 8" residence.

Concrete block foundation walls will be built upward to elevate the residence and

the foundation walls will be equipped with vents to allow for the passage of floodwaters. The structure main floor (habitable living space) will have a finished floor elevation at a minimum of 661.5 feet, NGVD. Details of the project are contained in information and plans received at the Division of Water on July 24.

2008.

Location : 7278 E Red Maple Drive; located approximately 1700' upstream of the Harp Ditch

and Tippecanoe River confluence and extending approximately 100' north

near Monticello, Union Township, White County

SE1/4, SW1/4, NW1/4, Section 11, T 28N, R 3W, Buffalo Quadrangle

Quad Code: 4008686

UTM Coordinates: Downstream 4526644 North, 522553 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : PL-21103

Lake : Sylvan Lake

Applicant : John and Gayle Pierce

650 Lakeside Drive

Rome City, IN 46784-9601

Description : A 31.5' by 30' underwater beach will be constructed across 31.5' of the applicant's

63' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of

Water on July 14, 2008 and July 28, 2008.

Location : 650 Lakeside Drive; Lot 2 of North View

near Rome City, Orange Township, Noble County

NW1/4, SW1/4, NW1/4, Section 15, T 35N, R 10E, Kendallville Quadrangle

Quad Code: 4108543

UTM Coordinates: Downstream 4594633 North, 636358 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21111

Lake : Lake Manitou

Applicant : Manitou Moose Lodge 1107

Mark Tyler

1911 Westside Drive

PO Box 43

Rochester, IN 46975-0043

Description : A new concrete seawall will be constructed across 170' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The new seawall will replace an existing concrete seawall which has deteriorated. Details of the project are contained in information and plans received at the Division of Water on July 18, 2008 and August 4, 2008.

Location : 1911 Westside Drive also known as Manitou Moose Lodge #1107

near Rochester, Rochester Township, Fulton County

NW¼, NW¼, NW¼, Section 15, T 30N, R 3E, Rochester Quadrangle

Quad Code: 4108612

UTM Coordinates: Downstream 4544975 North, 568043 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21112

Lake : Crooked Lake

Applicant : Doug Fuchs

15934 Viberg Road Leo, IN 46765-9245

Description : A new vinyl sheet piling seawall will be constructed across 60' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The new seawall will replace an existing timber seawall which will be completely removed. Details of the project are contained in information and plans

received at the Division of Water on July 18, 2008.

Location : 95 Lane 102; Lot 46 of Parkside Addition

near Angola, Pleasant Township, Steuben County

E½, NE¼, Section 16, T 37N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4615051 North, 663982 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21113

Lake : Lake of the Woods

Applicant : Ed Stepien

PO Box 536

North Liberty, IN 46554-0536

Description : A new straight steel sheet piling seawall will be constructed across 84' of the

applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The new seawall will connect with adjacent concrete seawalls at both ends. Details of the project are contained in information and plans received

at the Division of Water on July 21, 2008.

Location : Lot 26 of Cottonwood Addition

near Bremen, German Township, Marshall County

SE14, SE14, SW14, Section 6, T 34N, R 3E, Bremen Quadrangle

Quad Code: 4108642

UTM Coordinates: Downstream 4587005 North, 564573 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21115

Lake : Wall Lake

Applicant : Carol Anderson

Ina Temple PO Box 466

Orland, IN 46776-0466

Description : A new glacial stone seawall will be constructed across 50' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received

at the Division of Water on July 25, 2008.

Location : 11635 East 565 North

near Howe, Greenfield Township, LaGrange County

SE14, NE14, NE14, Section 25, T 38N, R 11E, Orland Quadrangle

Quad Code: 4108562

UTM Coordinates: Downstream 4620944 North, 649827 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21116

Lake : Cedar Lake

Applicant : Richard L Garlets

6170 N 325 E

Howe, IN 46746-9343

Description : An existing timber seawall will be refaced across 73' of the applicant's frontage.

The reface layer will consist of steel sheet piling installed a maximum of 6" lakeward of the toe of the existing seawall. Details of the project are contained in

information and plans received at the Division of Water on July 25, 2008.

Location : 6170 North 325 East

near Howe, Greenfield Township, LaGrange County

NE¼, NE¼, SE¼, Section 21, T 38N, R 10E, Mongo Quadrangle

Quad Code: 4108563

UTM Coordinates: Downstream 4621589 North, 635983 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21118

Lake : Hamilton Lake

Applicant : Terry Gathman

1797 Ginter Road

Defiance, OH 43512-8724

Description : A new straight concrete seawall will be constructed across 61' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The new seawall will connect to existing concrete seawalls at both ends. Details of the project are contained in information and plans received at the

Division of Water on July 28, 2008.

Location : 2220 Lane 150; Lot 12 of Oakwood Shores

near Hamilton, Otsego Township, Steuben County

SE¼, SE¼, NE¼, Section 33, T 36N, R 14E, Hamilton Quadrangle

Quad Code: 4108458

UTM Coordinates: Downstream 4600660 North, 673891 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21120

Lake : Crooked Lake

Applicant : Janice E Forst

Sandra J Uptgraft

9035 Hickory Glen Trail Fort Wayne, IN 46825-1101

Description : A new straight concrete seawall will be constructed across 22' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The new seawall will connect with existing concrete seawalls at both ends. Details of the project are contained in information and plans received at the

Division of Water on July 28, 2008.

Location : 115 Lane 350

near Angola, Pleasant Township, Steuben County

NE¼, NE¼, SE¼, Section 8, T 37N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4615621 North, 662354 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake